





# 12PT 1 1/2" DRIVE SOCKETS


	Part No.	D	d	L	t	T	Wt.
		mm	mm	mm	mm	mm	kg
4 5/16	5-4 5/16L	157	102	200	70	141	14.78
4 3/8	5-4 3/8L	158	102	200	70	141	14.88
4 1/2	5-4 1/2L	163	102	200	72	150	15.10
4 5/8	5-4 5/8L	166	102	200	77	150	15.80
4 3/4	5-4 3/4L	170	102	200	77	138	16.14
4 7/8	5-4 7/8L	173	102	200	77	137	17.84
5	5-5L	178	102	210	77	146	18.93
5 1/8	5-5 1/8L	180	102	210	80	145	18.86
5 3/16	5-5 3/16L	182	102	210	80	145	19.09
5 1/4	5-5 1/4L	185	102	210	80	144	19.66
5 3/8	5-5 3/8L	188	102	210	80	143	20.34
5 1/2	5-5 1/2L	192	102	210	80	142	20.61
5 3/4	5-5 3/4L	199	102	210	85	140	21.42
5 7/8	5-5 7/8L	203	102	210	85	140	22.33
6	5-6L	206	102	210	85	139	22.99



	Part No.	D	d	L	t	T	Wt.
		mm	mm	mm	mm	mm	kg
41	5-D6K41	70	84	84	23	36	2.25
43	5-D6K43=1 11/16	73	84	84	24	36	2.27
46	5-D6K46=1 13/16	76	84	87	25	40	2.32
50	5-D6K50	81	84	90	28	43	2.37
55	5-D6K55	86	86	90	30	47	2.70
60	5-D6K60	94	86	95	35	51	3.10
65	5-D6K65=2 9/16	99	86	100	35	56	3.50
70	5-D6K70=2 3/4	105	86	105	40	61	4.00
75	5-D6K75	112	86	110	42	66	4.60
80	5-D6K80	119	86	110	42	66	5.30
85	5-D6K85	125	86	120	50	75	6.40
90	5-D6K90	131	86	120	50	75	6.70
95	5-D6K95=3 3/4	141	102	130	55	83	8.70
100	5-D6K100	146	102	130	55	83	9.00
105	5-D6K105=4 1/8	151	102	130	55	83	9.40





# 12PT 1 1/2" DRIVE SOCKETS




	Part No.	D	d	L	t	T	Wt.
		mm	mm	mm	mm	mm	kg
1 5/8	5-D6K1 5/8	70	84	84	23	36	2.25
1 11/16	5-D6K43=1 11/16	73	84	84	24	36	2.27
1 3/4	5-D6K1 3/4	75	84	87	25	40	2.40
1 13/16	5-D6K46=1 13/16	76	84	87	25	40	2.32
1 7/8	5-D6K1 7/8	78	84	87	26	40	2.40
1 15/16	5-D6K1 15/16	80	84	90	28	43	2.40
2	5-D6K2	82	84	90	30	43	2.36
2 1/16	5-D6K2 1/16	83	84	90	30	43	2.50
2 1/8	5-D6K2 1/8	84	84	90	30	43	2.29
2 3/16	5-D6K2 3/16	87	86	95	30	51	2.90
2 1/4	5-D6K2 1/4	90	86	95	30	51	2.90
2 5/16	5-D6K2 5/16	92	86	95	30	51	3.00
2 3/8	5-D6K2 3/8	94	86	95	35	51	3.10
2 7/16	5-D6K2 7/16	96	86	100	35	56	3.30
2 1/2	5-D6K2 1/2	97	86	100	35	56	3.30
2 9/16	5-D6K65=2 9/16	99	86	100	35	56	3.50
2 5/8	5-D6K2 5/8	102	86	105	40	61	3.80
2 11/16	5-D6K2 11/16	104	86	105	40	61	3.90
2 3/4	5-D6K70=2 3/4	105	86	105	40	61	4.00
2 13/16	5-D6K2 13/16	107	86	110	42	66	4.20
2 7/8	5-D6K2 7/8	110	86	110	42	66	4.23
2 15/16	5-D6K2 15/16	112	86	110	42	66	4.60
3	5-D6K3	116	86	110	42	66	4.90
3 1/16	5-D6K3 1/16	118	86	110	42	66	5.10
3 1/8	5-D6K3 1/8	119	86	110	42	66	4.79
3 3/16	5-D6K3 3/16	121	86	120	50	75	5.70
3 1/4	5-D6K3 1/4	123	86	120	50	75	6.00
3 3/8	5-D6K3 3/8	125	86	120	50	75	6.20
3 1/2	5-D6K3 1/2	130	86	120	50	75	6.70
3 5/8	5-D6K3 5/8	136	102	120	50	75	7.00
3 3/4	5-D6K95=3 3/4	141	102	130	55	83	8.70
3 7/8	5-D6K3 7/8	144	102	130	55	83	8.15
3 15/16	5-D6K3 15/16	146	102	130	55	83	8.34
4	5-D6K4	148	102	130	55	83	9.10
4 1/8	5-D6K105=4 1/8	151	102	130	55	83	9.40
4 3/16	5-D6K4 3/16	153	102	130	55	83	11.10

# 12PT 1 1/2" DRIVE SOCKETS

	Part No.	D	d	L	t	T	Wt.
		mm	mm	mm	mm	mm	kg
4 1/4	5-D6K4 1/4	155	102	140	70	92	9.90
4 3/8	5-D6K4 3/8	158	102	140	70	92	10.30
4 1/2	5-D6K4 1/2	163	102	140	72	92	10.80
4 5/8	5-D6K4 5/8	166	102	140	77	90	10.90
4 3/4	5-D6K4 3/4	170	102	140	77	90	11.10
4 7/8	5-D6K4 7/8	173	102	140	77	90	11.50



	Part No.	D	d	L	t	T	Wt.
		mm	mm	mm	mm	mm	kg
5	5-D6K5	178	102	150	77	100	12.30
5 1/8	5-D6K5 1/8	180	102	150	80	100	12.90
5 3/16	5-D6K5 3/16	182	102	150	80	100	13.10
5 1/4	5-D6K5 1/4	185	102	150	80	100	13.40
5 3/8	5-D6K5 3/8	188	102	150	80	100	14.00
5 1/2	5-D6K5 1/2	192	102	150	80	100	15.00
5 9/16	5-D6K5 9/16	193	102	150	80	97	15.90
5 3/4	5-D6K5 3/4	199	102	150	85	97	17.40
5 7/8	5-D6K5 7/8	203	102	150	85	97	18.20
6	5-D6K6	206	102	150	85	97	18.60
6 1/8	5-D6K6 1/8	209	102	150	85	97	19.00

